

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8





Figure 9A




Figure 9B





Figure 10



Backup Mode of Operation

Figure 11




Figure 12A




Figure 12B




Figure 12C




Figure 13A

Parameter Number	Description	Type	Size (bytes)
1	Configuration version	Long	4
2	Config Fetch Interval	Integer	2
3	Max Skip Config Fetch	Integer	2
4	Connection Register Bit 0 – Ethernet Bit 1 – PPP Bit 2 – PPPoE	Byte	1
10	Binary image name	String	20
11	Binary image size	Long	4
12	Binary image CRC	Integer	2
20	Service Discovery Host Name 1	String	32
21	Service Discovery Host Name 2	String	32
22	Service Discovery Port 1	Integer	2
23	Service Discovery Port 2	Integer	2
30	Primary ISP Number	String	24
31	Primary ISP Username	String	15
32	Primary ISP Password	String	15
33	Primary Aux Wait String	String	15
34	Primary PPP Register Bit 0 – Use Login Bit 1 – Use Aux Wait String	Byte	1
40	Backup ISP Number	String	24
41	Backup ISP Username	String	15
42	Backup ISP Password	String	15
43	Backup Aux Wait String	String	15
44	Backup PPP Register (see Primary PPP Register above)	Byte	1
50	FTP URL	String	32
51	FTP Port	Integer	2
52	FTP Username	String	15
53	FTP Password	String	15

Figure 13B




Figure 14